

Terostat 33



1C Silicone, amine

-40 °C to 150 °C

Transparent / white / grey / black

Amine

5 to 7 min.

Loctite® 595



1C Silicone, acetoxy

-55 °C to 250 °C

Clear

Acetic

10 to 15 min.

Loctite® 5940



1C Silicone, acetoxy

-55 °C to 250 °C

Black

Acetic

15 to 20 min.



Terostat 33

- Resistant against mold
- Dries to form a highly flexible, solid sealant
- Transparent silicone allows mixing with solvent based paint
- Non corrosive

Applications:

For joint sealing on steel, aluminium, paint, unplasticized PVC, ceramics, glass, enamel, etc. Use any type of professional dispensing tools for application; best with PowerLine II or Electroflow gun.

Loctite® 595

- Bonding, sealing and protecting of components subjected to shock, constant vibration, twisting, flexing, thermal expansion and contraction

Applications:

Suitable for glass, metal, ceramics, composites, and most plastics.

Loctite® 5940

- Room temperature vulcanising (RTV) silicone
- High temperature protection

Applications:

For bonding and sealing in automotive and household electrical appliances.

Pack sizes	IDH No.
Cartridge Transp. 310 ml	150331
Cartridge White 310 ml	192501
Cartridge Grey 310 ml	79230
Cartridge Black 310 ml	96572

Pack sizes	IDH No.
Blister card 40 ml	1123422
Tube 100 ml	1126642
Cartridge 300 ml	xxx

Pack sizes	IDH No.
Blister card 40 ml	1123347
Tube 100 ml	1126635
Cartridge 300 ml	xxx

Body Repair

Instant Bonding Bonding of Body and Parts

- For bonding body components
- For emergency repairs
- For light structural bonding

Product Base	Cyanoacrylate	Cyanoacrylate
Evaporation time / skin-over time / pot life	5–20 sec.	5–20 sec.
Bonding properties	Instant adhesive liquid	Instant adhesive gel

Practical Hints:

- Use Teroson FL for surface preparation

Loctite® 401



Cyanoacrylate

5–20 sec.

Instant adhesive liquid



Loctite® 401 – Instant Adhesive

- General purpose instant adhesive
- Bonds a wide range of similar or dissimilar substrates (metals, rubber, wood, cardboard, ceramics as well as most plastics)
- Very high strength on close-fitting parts

Applications:

Emblems, plastic parts, rubber seal.

Pack sizes	IDH No.
Bottle 20 g	135428

Loctite® 454



Cyanoacrylate

5–20 sec.

Instant adhesive gel



Loctite® 454 – Instant Adhesive Gel

- For general purpose application
- Will not drip or run
- Non-wicking, specially suited for porous materials
- Bonds similar or dissimilar substrate combinations of wood, metals, ceramics, most plastics

Applications:

Ideal for overhead application as well as for vertical faces.

Pack sizes	IDH No.
Tube 20 g	195678



Terokal 2444




Adhesive Spray



Terostat 9220



Teromix 6700



Polychloroprene	Styrene Butadiene Rubber (SBR)	1 C MS Polymer	2 C Polyurethane
5 to 10 min. / n.a. / n.a.	ca. 10 min. / n.a. / n.a.	n.a. / ca. 15 min. / n.a.	n.a. / n.a. / ca. 10 min.
Contact adhesive liquid	Contact adhesive spray	Power bonder	2C bonder



Terokal 2444

- High initial tack (allow 5 to 10 min. for solvent evaporation)
- Excellent contact or pressure sensitive adhesive

Applications:

To bond rubber, flexible foams, leather, felt, damping materials to rubber, metal, wood and polyester cardboard and rigid PVC.

Teroson Adhesive Spray

- High initial strength (allow 10 min. for solvent evaporation)
- Contact and pressure sensitive adhesive spray
- Particularly suitable for bonding porous materials

Applications:

To bond fabric, polyester and polyester foams. Leather, cardboard and coverings.

Terostat 9220

- Powerful adhesive for flexible permanent spot welding without scarring
- Adheres to a wide range of materials without primer
- High resistance to ageing, weathering, UV light and salt water
- Isocyanate and solvent free

Applications:

To bond metal to metal, plastics (except PP, PE), wood, painted surfaces. Use any type of professional dispensing tools for application; best with PowerLine II or Electroflow gun.

Teromix 6700

- Fast cure, high strength independent from temperature / humidity
- Adheres to a wide range of materials
- Can be spot welded before curing
- Solvent free

Applications:

To bond metal to metal, plastics (except PP, PE), wood, painted surfaces. Easy application with Teromix gun and easy mixing with twin cartridge and static mixer.

Pack sizes	IDH No.
Tin 340 g	444651
Tin 670 g	238403

Pack sizes	IDH No.
Spray 400 ml	860240

Pack sizes	IDH No.
Tube 80 ml	452386
Cartridge 310 ml	265673

Pack sizes	IDH No.
Cartridge 2 x 25 ml	264880
Cartridge 250 ml	881835

Body Repair

Bonding of Body and Parts


- Structural bonding
- Metal repair
- Emergency repair

Product Base

Application

Pot life

Terokal 5045



2C Epoxy resins

Warm

ca. 90 min.

Practical Hints:

- Use Teroson FL for surface preparation
- Curing process can be accelerated by heat
- Terokal 5045 can be spot welded



Terokal 5045

- Excellent bond strength
- Bonds and seals without a primer in a single operation

Applications:

High performance, solvent free adhesive for roof and panel bonding (aluminium, steel and SMC). Application only with PowerLine II or Electroflow gun. Easy application with universal cartridge and static mixer.

Pack sizes

IDH No.

Cartridge 250 ml

776515

Terocore® 1401



2C Epoxy resins

Warm

ca. 90 min.

Loctite® 3430



2C Epoxy resins

Room temperature

5 min.

Loctite® 3463



2C Epoxy stick

Room temperature

5 min.



Terocore® 1401

- For reinforcing of weak body parts
- Strengthens hollow structures and reinforces large surfaces
- Low density foam achieves great weight savings

Applications:

High strength reinforcement foam to enhance the structural rigidity of car bodies in crash zones, following OEM repair methods. Application only with PowerLine II or Electroflow gun. Easy application with universal cartridge and static mixer.

Loctite® 3430 – Fast Epoxy

- For general purpose applications
- Can be cured at low temperatures and as thick coating
- Waterproof and impact resistant
- Allows over-painting
- Temperature resistance from -40 °C to +120 °C

Applications:

Bonds a wide variety of similar or dissimilar substrate combinations e.g. metals, marble, ceramics, glass, stone, wood, concrete, plastics.

Loctite® 3463 – Metal Magic Steel™ Stick

- Kneadable epoxy adhesive
- Adheres to moist surfaces and cures even under water
- Resistant to corrosion and most chemicals
- Steel-filled product

Applications:

Ideal for fast but long-lasting emergency repairs. Can be drilled, sanded and painted after curing. Repairs small cracks in housings, rebuilds damaged thread holes, etc.

Pack sizes	IDH No.
Cartridge 175 ml	776176

Pack sizes	IDH No.
Syringe 24 ml	142517

Pack sizes	IDH No.
Stick 114 g	265628

Body Repair

Plastic Repair

- Applicable for all types of external plastic car parts (one fits all)
- Single components and set OE specified

Product Base	2C Polyurethane	2C Polyurethane
Application	Bonding	Bonding
Pot life (standard climate)	ca 10 min.	ca. 2 min.
Repair area	More than 5 cm	Less than 5 cm

Practical Hints:

- Re-shape plastic parts before repair
- Compatible with all types of plastics
- Use Terotex Super 3000 for OE finish (texture)
- Not for fuel tanks and radiator houses

Terokal 9225



2C Polyurethane

Bonding

ca 10 min.

More than 5 cm



Terokal 9225

- To avoid read-through on repaired surfaces, product has to be cured with IR at 60 °C to 70 °C
- Excellent sandability
- Very good paintability with all car paint systems when using Terokal 150

Applications:

Bumpers, spoilers, aprons, etc. Easy application with Teromix gun (2 x 25 ml) or PowerLine II/ Electraflow (250 ml) and easy mixing with twin cartridge and static mixer.

Pack sizes	IDH No.
Cartridge 2 x 25 ml	267081
Cartridge 250 ml	881837

Terokal 9225 SF



2C Polyurethane

Bonding

ca. 2 min.

Less than 5 cm



Terokal 9225 SF

- To avoid surface read-through, product has to be cured with IR at 60 °C to 70 °C
- Excellent sandability
- Very good paintability with all car paint systems when using Terokal 150

Applications:

Bumpers, spoilers, aprons, etc. Easy application with Teromix gun (2 x 25 ml) and easy mixing with twin cartridge and static mixer.

Pack sizes	IDH No.
Cartridge 2 x 25 ml	882088



Plastic Filler



Terokal 150



Teroson FL



Plastic Repair Kit



2C Polyester

Plastic Filler / Putty

ca. 5 min.

Finishing & scratch repair

Chlorinated Polyolefins

Primer

n.a.

Adhesion promotion plastics

Petroleum Spirit

Surface Preparation

n.a.

Paint, metal, plastic

n.a.

Kit

n.a.

Plastics outside the car



Teroson Plastic Filler

- No shrinkage, very good sag resistance
- Sandable after only 15 min.
- For optimal adhesion on all different types of plastic

Applications:

For damages like scratches, stone chips. Finishing of plastic repair combined with Terokal 150.

Terokal 150

- Excellent base coat
- Very short evaporation time

Applications:

To be used for Plastic Repair Kit and Terokal 9225, 9225 SF, Teroson Plastic Filler and before painting. Easy and precise application.

Teroson FL

- For all surfaces before and after any bonding or sealing job
- Use Teroson FL whenever repairing plastic, glass or metal parts
- Extremely fast solvent evaporation

Applications:

Teroson FL is also a diluent for many Teroson products like underbody coatings, plastic repair adhesives, direct glazing products, etc.

Teroson Plastic Repair Kit

Contents:

- 3 bags of 2 x 25 ml Terokal 9225
- 9 static mixers
- 150 ml spray Terokal 150
- 1000 ml can Teroson FL
- 1 reinforcement mat
- 1 Teromix gun
- working instruction

Applications:

Bumpers, spoilers, aprons, etc.

Pack sizes IDH No.

Tin 920 g 882485

Pack sizes IDH No.

Spray 150 ml 267078

Pack sizes IDH No.

Can 1,000 ml 92679

Can 10l 63095

Pack sizes IDH No.

Kit 211680

Body fillers

- For dent repairs

Product Base	2C Polyester resin	2C Polyester resin
Type of repair	For big gaps / holes	Universal use
Pot life (standard climate)	ca. 8 min.	4 to 5 min.
Sanding grid	Up to P80	Up to P120

Practical Hints:

- Mixing ratio Filler to Hardener ca. 100: 2 to 4
- Use IR to cure at 50 °C to 60 °C to shorten the time to sanding / grinding
- Cool repair area before sanding
- Use primer Terokal 150 when applying Teroson fillers on plastics

Glass Fibre Filler



Teroson Glass Fibre Filler

- Contains high tensile glass-fibre strands for extra strength
- Bridges and fills in one go

Applications:

For all big repair jobs like dents, scratches and medium-sized holes.

Pack sizes	IDH No.
Tin 1,300 g	946635

Allround Filler



Teroson Allround Filler

- General purpose product
- Easy sanding

Applications:

For all repair jobs like dents, scratches and small holes.

Pack sizes	IDH No.
Tin 1,750 g	946637

Alu / Galva Filler



2C Polyester resin

For aluminium and galvanised surfaces

4 to 5 min.

Up to P150

Plastic Filler



2C Polyester resin

For plastics

4 to 5 min.

Up to P240

Fine Filler



2C Polyester resin

For finishing

4 to 5 min.

Up to P400

Hardener



1C Peroxide

Hardener for Teroson Fillers

n.a.

n.a.



Teroson Alu / Galva Filler

- Excellent adhesive properties
- Fast setting and easy sanding

Applications:

Especially for repair of damaged vehicles with aluminium / galvanised steel bodies.



Teroson Plastic Filler

- No shrinkage, very good sag resistance
- Compatible with all common car paints

Applications:

For finishing plastic repairs and for all minor damages on exterior plastic car parts .



Teroson Fine Filler

- Super fine texture ensures a smooth flawless surface and a perfect feather edge
- Fast setting and easy sanding

Applications:

For professional finish after using other Teroson fillers and for very small dent repairs.



Teroson Polyester Extra Hardener – hardener for all Teroson fillers

- B component engineered for use with all Teroson Body Fillers
- Mixing ratio approx. 3 %

Pack sizes IDH No.

Tin 1,750 g 946639

Pack sizes IDH No.

Tin 920 g 882485

Pack sizes IDH No.

Tin 1,750 g 946638

Pack sizes IDH No.

Tube 40 g 528242

Underbody Repair



Wax / Cavity Protection | Page 44

Rust Protection

- **Terotex Wax**
Anti-corrosion Coating
- **Terotex HV 400**
Cavity Protection/Conservation
- **Terotex HV 350**
Cavity Protection against Rust

Underbody Coating | Page 42, 44

Rust Protection

- **Terotex Wax**
Anti-corrosion Coating
- **Teroson UBC Spray**
Underbody Coating Black
- **Terotex Record 2000 HS**
Highly Abrasion Resistant Coating

Anti Chip Coating | Page 43

Rust Protection

- **Terotex Super 3000**
High-viscosity Coating Material,
Light or Black
- **Teroson Anti Chip**
Spray Coating Light or Black

Sound Dampening | Page 46

- **Terofoam**
Sound Deadening Foam
- **Terodem**
Sound Deadening of Body Panels

Air Conditioning | Page 48

- **Loctite® Hygiene Spray**
Multi-purpose Cleaner and Sanitizer
- **Terosept Vehicle**
Professional Air Conditioning Liquid

Hand Cleaning | Page 49

- **Loctite® 7850**
Hand Cleaner with Pumice
- **Loctite® 7855**
Paint and Resin Removing
Cleaner

Underbody Coating | Page 42

		Zinc Spray	Rust Converter	UBC Spray	Terotex 2000 HS	Terotex Super 3000	Anti-Chip Spray	Terotex Wax	Terotex HV 350	Terotex HV 400	Teroson Cavity Spray
Product base	Zinc + epoxy agent	■									
	Synthetic resin		■			■	■				
	Rubber + resin			■	■						
	Wax								■	■	■
	Waxes + polymers							■			
	Water based		■								
Substrates	Bare metal	■		■	■	■	■	■	■	■	■
	Aluminium			■	■	■	■	■	■	■	■
	E-coated metal	■		■	■	■	■	■	■	■	■
	Paint			■	■	■	■	■	■	■	■
	Corroded steel		■								
	Wax coatings							■	■	■	■
	PVC			■	■	■	■	■	■	■	■
	PVC-wax							■	■	■	■
	Bitumen / rubber							■	■	■	■
	Rubber / resin			■	■			■	■	■	■
	Wood			■				■	■	■	■
Properties	Paintable		■	■	■	■	■				
	Hs (high solids)				■	■				■	
	Noise control				■			■			

*standard climate 23 °C / 50% relative humidity

Body Repair – Underbody

Underbody Coating Rust Protection Anti Chip Coating

- For professional use
- For repair and maintenance

Product Base	Zinc with epoxy agent	Synthetic resin emulsion
Volatile Organic Compound Content	698.5 g/l	24 g/l
Drive-away Time (standard climate)	After 1 hr	After 1 hr
Overpaintable (standard climate)	n.a.	Between 12 and 72 hrs
Colour	Silver-grey	Dark-grey
Job / Application & Tool	Rust Protection / Spray	Rust Converter / brush

Practical Hints:

- Shake spray cans thoroughly before application
- For bare metal parts use primer such as Teroson zinc spray or Teroson rust primer

Zinc Spray



Rust Converter



Teroson Zinc Spray

- Anti corrosion paint for vehicle body repair and maintenance
- Electrically conductive (wet and dry)
- Not overpaintable

Applications:

Serves as corrosion protection between welding flanges during MIG and spot welding. Used for vehicle bodywork repairs to galvanize welding points and the joints of those parts which were originally galvanized, in particular those which will not be painted.

Teroson Rust Converter

- Converts rust into a stable complex compound
- Forms a varnish-like protective film to prevent further corrosion

Applications:

For small areas. On rusted car panels. Ideal to convert or prevent rust on every metallic surface. Application brush or roller to be cleaned with water.

Pack sizes **IDH No.**
Spray 400 ml 333170

Pack sizes **IDH No.**
Bottle 125 ml 770231

UBC Spray



T. Record 2000 HS



Terotex Super 3000



Anti-Chip Spray



Rubber and resin

609 g/l

After 2 hrs

Between 12 and 72 hrs

Black

Underbody coating / Spray

Rubber and resin

ca. 471.2 g/l

After 2 hrs

Between 12 and 72 hrs

White / grey / black

Underbody coating / UBC gun

Artificial resins

ca. 479.7 g/l

After 3 hrs

Between 1 to 24 hrs

White / black

Anti Chip compound / UBC gun

Artificial resins


479.7 g/l

After 3 hrs

Between 1 to 24 hrs

Light / black

Anti chip compound / Spray



Teroson UBC Spray

- For treatment of small isolated areas and touching up local spots after accident repairs
- Coating of painted and/or primed parts

Applications:

Preserves all types of factory-applied underbody coatings. Complements existing PVC and rubber/resin based protective coatings.

Terotex Record 2000 HS

- Permanent elastic corrosion protection
- Ideal for underbody repair work, particularly as protection against stone chipping
- Coating for painted parts or primer for surfaced metals

Applications:

Preserves all types of OEM applied underbody coatings. Complements existing PVC and rubber/resin based protective coatings.

Terotex Super 3000

- Coating of replacement parts like bumpers or wheel arches for noise dampening
- Compatible with standard OEM paints
- For spraying textured coats

Applications:

For OEM finish textures. For abrasion resistant coating on visible car parts which require fast overpainting. For textured bumpers and side panels.

Teroson Anti-Chip Spray

- For treatment of small isolated areas and touching up local spots after accident repairs
- Coating of painted parts or primer for surfaced metals

Applications:

For OEM finish textures. For abrasion resistant coating on visible car parts which require fast overpainting. For textured bumpers and side panels.

Pack sizes IDH No.

Spray 500 ml 803863

Pack sizes IDH No.

Tin White 1 l 767196

Tin Grey 1 l 767198

Tin Black 1 l 767197

Pack sizes IDH No.

Tin White 1 l 782601

Tin Black 1 l 767199

Pack sizes IDH No.

Spray Light 500 ml 787528

Spray Black 500 ml 787643

Body Repair – Underbody

Wax / Cavity Protection Rust Protection

- For professional use
- For repair and maintenance

Product Base	Waxes and anti-corrosive agents
Volatile Organic Compound Content	395.6 g / l
Drive-away Time (standard climate)	After 2 to 3 hrs
Colour	Dark-grey
Application tool	UBC gun

Practical Hints:

- Shake spray cans before application
- For better penetration warm up HV materials before use (recommended in cold seasons)

Terotex-Wax



Terotex-Wax – Anti-corrosion Coating

- For repair and secondary treatment of all protective coatings
- For touch-up and post-treatment
- To cover overspray in wheel arches after accident repairs

Applications:

To complement factory-applied protective coatings based on PVC, PVC wax, bitumen / rubber and rubber / resin. Covers vehicle underbody areas and protects against corrosion.

Pack sizes	IDH No.
Tin 1 l	794862

Terotex HV 350



Terotex HV 400



Teroson Cavity Spray



Waxes and anti-corrosive agents

484.5 g/l

After 3 to 6 hrs

Beige-brown

Cavity Conservation / HV Cup gun

Waxes and anti-corrosive agents

370.5 g/l

After 3 to 6 hrs

Beige-brown

Cavity Conservation / HV Cup gun

Waxes and anti-corrosive agents

559 g/l

After 2 to 3 hrs

Beige-brown

Cavity Conservation / Spray



Terotex HV 350

- Good creeping qualities
- Minimal post dispense dripping
- High temperature resistance

Applications:

Primarily used for protecting cavities of motor vehicles. Ventilate cavities thoroughly after application. Use HV pressure cup for optimum application / protection

Terotex HV 400

- Excellent creeping qualities
- Can also be applied at low temperatures (min. 10°C)
- High temperature resistance

Applications:

Primarily used for protecting cavities of motor vehicles. Ventilate cavities thoroughly after application. Use HV pressure cup for optimum application / protection

Teroson Cavity Spray

- Excellent creeping qualities
- Minimal post dispense dripping
- High temperature resistance

Applications:

Ideal for treating small isolated areas and touching up local spots after accident repairs. The extension spray tube provided with the can will let you reach into open, visible cavities.

Pack sizes

IDH No.

Tin 1l

793958

Pack sizes

IDH No.

Tin 1l

784176

Pack sizes

IDH No.

Spray 500 ml

794224

Sound Dampening / Acoustics

- Pillar filler
- Sound and vibration dampening

Product Base	2C Polyurethane
Panel Size	n.a.
Density	n.a.
Adhesion	Self adhesive / foaming
Colour	Grey

Practical Hints:

- Pre-heat Terodem SP100/SP300: for easy application
- Use Terokal 2444 for fixturing Terodem SP100/SP200/SP300

Terofoam



Terofoam – Sound deadening foam

- Blocks the passage of airborne noise in hollow cavities
- Cavity-filling foam
- Prevents noise, vibration, and harshness (NVH)
- Provides a complete seal against water and dust

Applications:

A-, B- C-pillars, door sills, frame structures. Bonding and sealing aprons and bumpers to chassis assemblies. Use for fixturing new/old sound dampening elements.

Pack sizes	IDH No.
Spray 200 ml	939813

Terodem SP 100 Alu



Bitumen / Plastic / Alu laminated

50 x 25 cm panels

3.7 kg / m²

Pressure sensitive / self adhesive

Aluminium coloured

Terodem SP 200



PUR foam

100 x 50 cm panels

0.3 kg / m²

Pressure sensitive / self adhesive

Black

Terodem SP 300



Bitumen / Plastic

50 x 50 cm mats / 100 x 50 cm panels

5.16 kg / m²

Pressure sensitive / self adhesive

Black



Terodem SP 100 Alu – Sound protection panels

- Self-adhesive bitumen / plastic barrier panels for reducing vibrations and dampening irritating noise
- Easy application
- Aluminium coloured

Applications:

Ideal for car doors, engine bonnet and side panels.

Terodem SP 200 – Sound protection panels

- High quality sound dampening panels with PU protective skin
- Reduce noise in the passenger compartment
- Easy application
- Resistant to oil, fuel, heat and water
- Flame retardant – meets DIN 75200, MVSS 302

Applications:

Dampening airborne sound. Apply in bonnet, luggage compartment.

Terodem SP 300 – Sound protection panels

- Dampening panels for sound deadening on vehicle floor pans
- Flexible when heated
- Easy application

Applications:

The material conforms to body panel shapes when heated with a hot-air blower. Flows into ribbings and corners. Ideal for interior and undercarriage.

Pack sizes	IDH No.
Carton 6 mats 50 x 25 cm	150012

Pack sizes	IDH No.
Carton 2 mats 100 x 50 cm	268286

Pack sizes	IDH No.
Carton 4 mats 50 x 50 cm	150055
Carton 4 mats 100 x 50 cm	150054

Body Repair – Underbody

Air Conditioning / Hand Cleaning

- Professional use
- Hand cleaner / protection

Application	Air conditioning cleaning	Air conditioning cleaning
Product Base	Non-toxic disinfectant	Aqueous based

Practical Hints:

- Hygiene spray: don't spray directly onto interior parts e.g. leather, plastics
- Hygiene spray and Terosept: don't apply in hot cars, cool down to ~20–22 °C

Hygiene Spray



Loctite® Hygiene Spray – Multi-purpose Cleaner and Sanitizer

- Effective against bacteria, fungi and viruses in air and on contaminated surfaces
- Unpleasant smells are replaced by a fresh menthol and eucalyptus fragrance
- Removes many unpleasant smells including the lingering odour left by smokers or pets

Applications:

Ideal for sanitizing and deodorizing car interiors – including the air conditioning system.

Pack sizes	IDH No.
Aerosol 150 ml	731335

Terosept



Terosept Air conditioning cleaner machine & liquid

Professional Air Conditioning Cleaner

- Cleaning prevents the growth of bacteria and germs (and unpleasant smells) on evaporator fins
- 10 min. nebulisation for passenger cars and 20 min. for bigger vehicles

Applications:

Use Terosept liquid together with Terosept Air conditioning cleaner machine. Ideal for sanitizing and deodorizing car interiors – including the air conditioning system.

Pack sizes	IDH No.
Machine	745083
Bottle 200 ml	752596

Loctite® 7850



Hand cleaning

Aqueous based



Loctite® 7850 – Hand Cleaner with Pumice

- For severely stained hands, e.g. after vehicle repairs
- With jojoba, lanolin and aloe added for skin conditioning and protection
- Citrus extracts give a pleasant, fresh orange smell
- Works with or without water
- Tested for skin compatibility
- Fortified with ground pumice for enhanced deep cleaning

Applications:

Removes dirt and grease without containing any aggressive solvents.

Pack sizes **IDH No.**

Bottle 400 ml 234228

Bottle 3 l 234258

Loctite® 7855



Hand cleaning

Aqueous based



Loctite® 7855 – Paint and Resin Removing Cleaner

- The gentle alternative to harsh cleaning agents
- With finely ground pumice and four premium skin conditioners: lanolin, aloe, jojoba and vitamin E
- Tested for skin compatibility

Applications:

Gently removes paint, adhesives, varnish, resins, silicones, polyurethane and other tough contaminants.

Pack sizes **IDH No.**

Bottle 400 ml 235321

Bottle 3 l 235320

Teroquick



Hand cleaning

Soft coconut wood



Teroquick – Hand Cleaner Paste

- For fast and thorough hand cleaning
- Gentle to the skin
- Sand free
- Contains no solvents
- Biodegradable

Applications:

Removes dirt, oils and grease without containing any aggressive solvents.

Pack sizes **IDH No.**

Bucket 12.5 l 1137651

Dispenser 211835

Barrier Cream



Skin protection

Water soluble



Teroson Barrier Cream

- Protects hands like an invisible glove against stubborn dirt and stains, e.g. paints, adhesives, underbody coatings

Applications:

Use before working with solvents, oils, paints, primer PUR. Can be washed off with water.

Pack sizes **IDH No.**

Can 600 ml 150028

Equipment



Teroson PowerLine II air pressure gun

Very powerful tool for dispensing low to very high viscosity material from cartridges.

IDH No. 930304



Electraflow battery operated gun

Very powerful tool for dispensing low to very high viscosity material from cartridges.

IDH No. 1047326



Teroson MultiPress telescopic air pressure gun

For dispensing low viscosity sealants and adhesives as a bead and spray e.g. Terostat 9320.

IDH No. 142241



Softpress foil cartridge air pressure gun

Dispensing tool for foil cartridges.

IDH No. 250052



Teromix Hand gun

For processing Teromix 6700 and Terokal 9225/9225 SF twin cartridges (2 x 25 ml).

IDH No. 150035



Static mixers

Static mixer for small twin cartridges & big universal cartridges (Teromix 6700 and Terokal 9225/9225 SF 2 x 25 ml).

IDH No.
 small mixer 142242
 big mixer 780805



Plastic repair mesh

To be used for reinforcing plastic repair area.

IDH No. 908383



Teroson UBC air pressure gun

To be used for processing UBC and stone chip compounds from 1 l cans.

IDH No. 150036



Teroson Staku Hand gun
Powerful and durable handgun for dispensing material from cartridges.

IDH No. 142240



Cartridge preheating box for 2 cartridges
For preheating up to 2 cartridges (aluminum only) or 2 up to 400 ml foils prior to application.

IDH No. 211556



Cartridge preheating box for 6 cartridges
For preheating up to 6 cartridges (aluminum / plastic) or 4 up to 600 ml foils or 4 big foil packs prior to application.

IDH No. 796993



Teroson applicators / wool daubers
To be used with Teroson Primers and Activators.

IDH No. 142245



Teroson HV cup air pressure gun
For applying cavity conservation products.

IDH No. 150034



Cavity Conservation Hook probe
Long special probe for cavity conservation with 90° angled hook.

IDH No.

50 cm	211833
130 cm (semi rigid)	211838
150 cm (flexible)	177342



Terosept – Professional Air Conditioning Cleaner machine
For dispensing Terosept Air Conditioning Cleaner liquid.

IDH No. 745083



Nozzle Pliers
Use for cutting the applicator nozzle quickly and precisely to size.

IDH No. 379366

Training Program

Come to Heidelberg for a professional training at the Henkel Technology Centre.

For an easy to use online registration form go to:

www.loctite.com or www.teroson.com



or call us at **+49 6221 704 766**

We will contact you as fast as promptly to plan and arrange your specific needs for theoretical and/or practical training for you and your staff, for you and your co-workers.

Choose between the following modules:

- Mechanical Repair
- Panel Bonding and Sealing
- Direct Glazing
- Rust Protection (UBC, Cavity Protection, Anti-Chip Coating)
- Windscreen Smart Repair
- Seam Sealing
- Plastic Repair incl. Finishing



Key Account customer references

Loctite® & Teroson products are officially recommended by numerous manufacturers of the Automotive Industry. Key ones are listed below.

Car Manufacturer



Preferred **TOYOTA**
Body & Paint partner
for Europe

Industrial Vehicle



Paint Manufacturer



In addition, the main Manufacturing sites for Loctite® & Teroson products are regularly audited, to ensure a full respect of the latest quality procedures and environmental rules:

- ISO 9001 – Quality Management System
- ISO/TS 16949 – Quality Management System – recognized by the Automotive Industry
- ISO 14001 – Environmental Management system



Index

By product name

Product name	Pack size	IDH No.	Page
Cavity hook probe	50 cm	211833	51
Cavity hook probe	130 cm	211838	51
Cavity hook probe	150 cm	177342	51
Electraflow battery gun		1047326	50
Foil cartridge gun		250052	50
Loctite® 243	10 ml	135279	10
Loctite® 243	50 ml	135278	10
Loctite® 243	250 ml	135357	10
Loctite® 248	9 g	540498	11
Loctite® 248	19 g	540491	11
Loctite® 268	9 g	540900	11
Loctite® 268	19 g	540907	11
Loctite® 2701	10 ml	195827	11
Loctite® 2701	50 ml	234853	11
Loctite® 2701	250 ml	234855	11
Loctite® 271	3 ml	223807	11
Loctite® 319	0.5 ml	194088	27
Loctite® 3430	24 ml	142517	35
Loctite® 3463	114 g	265628	35
Loctite® 401	20 g	135428	32
Loctite® 454	20 g	195678	32
Loctite® 510	50 ml	142608	14
Loctite® 510	250 ml	135477	14
Loctite® 510	300 ml	135325	14
Loctite® 518	25 ml	142286	14
Loctite® 518	50 ml	229875	14
Loctite® 518	300 ml	435566	14
Loctite® 534	9 g	705070	17
Loctite® 534	19 g	705075	17
Loctite® 548	9 g	705097	14
Loctite® 548	18 g	704920	14
Loctite® 561	19 g	540920	12
Loctite® 5699	40 ml	1124088	15
Loctite® 5699	80 ml	1126648	15
Loctite® 577	50 ml	229342	12
Loctite® 577	250 ml	234573	12
Loctite® 5910	40 ml	1133305	15
Loctite® 5910	80 ml	1126633	15
Loctite® 5910	300 ml	142491	15
Loctite® 5920	40 ml	1124086	15
Loctite® 5920	80 ml	1126645	15
Loctite® 5920	311 g	235479	15
Loctite® 5922	60 ml	142274	17
Loctite® 5923	117 ml	233849	17

Product name	Pack size	IDH No.	Page
Loctite® 5923	450 ml	149302	17
Loctite® 5926	40 ml	1123349	15
Loctite® 5926	100 ml	1126639	15
Loctite® 5926	310 ml	233862	15
Loctite® 5940	40 ml	1123347	31
Loctite® 5940	100 ml	1126635	31
Loctite® 595	40 ml	1123422	31
Loctite® 595	100 ml	1126642	31
Loctite® 648	50 ml	135525	13
Loctite® 660	50 ml	229232	13
Loctite® 668	9 g	705002	13
Loctite® 668	19 g	705053	13
Loctite® 7039	400 ml	303145	19
Loctite® 7063	400 ml	88344	18
Loctite® 7063	10 l	149293	18
Loctite® 7100	400 ml	250000	19
Loctite® 7200	400 ml	235253	19
Loctite® 7840	750 ml	235330	19
Loctite® 7840	5 l	235338	19
Loctite® 7840	20 l	235341	19
Loctite® 7850	400 ml	234228	49
Loctite® 7850	3 l	234258	49
Loctite® 7855	400 ml	235321	49
Loctite® 7855	3 l	235320	49
Loctite® 8018	400 ml	458647	20
Loctite® 8021	400 ml	232368	21
Loctite® 8040	400 ml	760225	20
Loctite® 8060	20 g	525118	21
Loctite® 8065	20 g	525392	21
Loctite® 8101	400 ml	303134	21
Loctite® Hygien Spray	150 ml	731335	48
O-Ring Kit		480166	16
Plastic Filler	920 g	882485	37
Plastic repair mesh		908383	50
Preheating box 2 cartridges		211556	51
Preheating box 6 cartridges		796993	51
Static mixer – big		780805	50
Static mixer – small		142242	50
Terocore 1401	175 ml	776176	35
Terodem SP 100 Alu	50 x 25 cm	150012	47
Terodem SP 200	100 x 50 cm	268286	47
Terodem SP 300	50 x 50 cm	150055	47
Terodem SP 300	100 x 50 cm	150054	47
Terodicht Elastik	310 ml	801161	27

Product name	Pack size	IDH No.	Page
Terofoam	200 ml	939813	46
Terokal 150	150 ml	267078	37
Terokal 2444	340 g	444651	33
Terokal 2444	670 g	238403	33
Terokal 5045	250 ml	776515	34
Terokal 9225	2x25 ml	267081	36
Terokal 9225	250 ml	881837	36
Terokal 9225SF	2x25 ml	882088	36
Terolan 53 Special	1.2 kg	799671	28
Terolan Black	310 ml	726808	28
Terolan Light	310 ml	799316	28
Teromix 6700	2x25 ml	264880	33
Teromix 6700	250 ml	881835	33
Teromix Hand gun		150035	50
Teroquick	12.5l	1137651	49
Teroquick	Dispenser	211835	49
Terosept	Machine	745083	48
Terosept cleaner	200 ml	752596	48
Terosept machine		745083	51
Teroson Adhesive Spray	400 ml	860240	33
Teroson Allround Filler	1.75 g	946637	38
Teroson Alu/Galva Filler	1.75 g	946639	39
Teroson Anti chip Spray Black	500 ml	787643	43
Teroson Anti chip Spray Light	500 ml	787528	43
Teroson applicators		142245	51
Teroson Barrier Cream	600 ml	150028	49
Teroson Brake & Clutch cleaner	500 ml	232315	18
Teroson Brake & Clutch cleaner	10l	840759	18
Teroson Brake & Clutch cleaner	50l	840771	18
Teroson Cavity Spray	500 ml	794224	45
Teroson Fine Filler	1.75 g	946638	39
Teroson FL	1,000 ml	92679	27
Teroson FL	10l	63095	27
Teroson Glass Fibre Filler	1.3 g	946635	38
Teroson Hardener	40g	528242	39
Teroson HV gun		150034	51
Teroson M.O. Universal	400 ml	232429	20
Teroson M.O. Universal	4.5l	841026	20
Teroson Multipress gun		142241	50
Teroson nozzle plier		377366	51
Teroson Plastic repair Kit	Kit	211680	37
Teroson Powerline II		930304	50
Teroson Rust converter	125 ml	770231	42
Teroson Staku		142240	51

Product name	Pack size	IDH No.	Page
Teroson UBC gun		150036	50
Teroson UBC Spray	500 ml	803863	43
Teroson Zinc Spray	400 ml	333170	42
Terostat 33 Black	310 ml	96572	31
Terostat 33 Grey	310 ml	79230	31
Terostat 33 Transparent	310 ml	150331	31
Terostat 33 White	310 ml	192501	31
Terostat 8517H	25 ml	1114779	26
Terostat 8517H	100 ml	425854	26
Terostat 8525	10 ml	265665	26
Terostat 8596	310 ml	450533	24
Terostat 8596	Set	450532	24
Terostat 8597 HMLC	200 ml	537186	24
Terostat 8597 HMLC	310 ml	450503	24
Terostat 8597 HMLC	Set	450438	24
Terostat 8597 HMLC	400 ml	680347	24
Terostat 8597 HMLC	570 ml	680348	24
Terostat 8599 HMLC	310 ml	450441	25
Terostat 8599 HMLC	Set	450434	25
Terostat 8630 HMLC	310 ml	794668	25
Terostat 8630 HMLC	Set	867677	25
Terostat 9000PL	310 ml	871912	25
Terostat 9100 Grey	310 ml	744474	29
Terostat 9100 White	310 ml	744475	29
Terostat 9120 Black	310 ml	267084	29
Terostat 9120 Grey	310 ml	274943	29
Terostat 9120 White	310 ml	252257	29
Terostat 9140 Black	310 ml	267085	30
Terostat 9140 Transparent	310 ml	105494	30
Terostat 9200 Black	310 ml	744662	29
Terostat 9220	80 ml	452386	33
Terostat 9220	310 ml	265673	33
Terostat 9320 Black	300 ml	211743	29
Terostat 9320 Grey	300 ml	211742	29
Terostat 9320 Ocre	300 ml	272232	29
Terotex HV350	1l	793958	45
Terotex HV400	1l	784176	45
Terotex Record 2000 HS Black	1l	767197	43
Terotex Record 2000 HS Grey	1l	767198	43
Terotex Record 2000 HS White	1l	767196	43
Terotex Super 3000 Black	1l	767199	43
Terotex Super 3000 White	1l	782601	43
Terotex Wax	1l	794862	44

Index

By IDH number


IDH No.	Product name	Pack size	Page
63095	Teroson FL	10l	27
79230	Terostat 33 Grey	310 ml	31
88344	Loctite® 7063	400 ml	18
92679	Teroson FL	1000 ml	27
96572	Terostat 33 Black	310 ml	31
105494	Terostat 9140 Transparent	310 ml	30
1137651	Teroquick	12.5l	49
135278	Loctite® 243	50 ml	10
135279	Loctite® 243	10 ml	10
135325	Loctite® 510	300 ml	14
135357	Loctite® 243	250 ml	10
135428	Loctite® 401	20g	32
135477	Loctite® 510	250 ml	14
135525	Loctite® 648	50 ml	13
142240	Teroson Staku		51
142241	Teroson Multipress gun		50
142242	Static mixer – small		50
142245	Teroson applicators		51
142274	Loctite® 5922	60 ml	17
142286	Loctite® 518	25 ml	14
142491	Loctite® 5910	300 ml	15
142517	Loctite® 3430	24 ml	35
142608	Loctite® 510	50 ml	14
149293	Loctite® 7063	10l	18
149302	Loctite® 5923	450 ml	17
150012	Terodem SP 100 Alu	50 x 25 cm	47
150028	Teroson Barrier Cream	600 ml	49
150034	Teroson HV gun		51
150035	Teromix Hand gun		50
150036	Teroson UBC gun		50
150054	Terodem SP 300	100 x 50 cm	47
150055	Terodem SP 300	50 x 50 cm	47
150331	Terostat 33 Transparent	310 ml	31
177342	Cavity hook probe	150 cm	51
192501	Terostat 33 White	310 ml	31
194088	Loctite® 319	0.5 ml	27
195678	Loctite® 454	20g	32
195911	Loctite® 2701	3 ml	11
211556	Preheating box 2 cartridges		51
211680	Teroson Plastic repair Kit	Kit	37
211742	Terostat 9320 Grey	300 ml	29
211743	Terostat 9320 Black	300 ml	29
211833	Cavity hook probe	50 cm	51
211835	Teroquick	Dispenser	49


IDH No.	Product name	Pack size	Page
211838	Cavity hook probe	130 cm	51
223807	Loctite® 271	10 ml	11
229232	Loctite® 660	50 ml	13
229342	Loctite® 577	50 ml	12
229875	Loctite® 518	50 ml	14
232315	Teroson Brake & Clutch cleaner	500 ml	18
232368	Loctite® 8021	400 ml	21
232429	Teroson M.O. Universal	400 ml	20
233849	Loctite® 5923	117 ml	17
233862	Loctite® 5926	310 ml	15
234228	Loctite® 7850	400 ml	49
234258	Loctite® 7850	3l	49
234573	Loctite® 577	250 ml	12
234853	Loctite® 2701	50 ml	11
234855	Loctite® 2701	250 ml	11
235253	Loctite® 7200	400 ml	19
235320	Loctite® 7855	3l	49
235321	Loctite® 7855	400 ml	49
235330	Loctite® 7840	750 ml	19
235338	Loctite® 7840	5l	19
235341	Loctite® 7840	20l	19
235479	Loctite® 5920	311 g	15
238403	Terokal 2444	670g	33
250000	Loctite® 7100	400 ml	19
250052	Foil cartridge gun		50
252257	Terostat 9120 White	310 ml	29
264880	Teromix 6700	2 x 25 ml	33
265628	Loctite® 3463	114g	35
265665	Terostat 8525	10 ml	26
265673	Terostat 9220	310 ml	33
267078	Terokal 150	150 ml	37
267081	Terokal 9225	2x25 ml	36
267084	Terostat 9120 Black	310 ml	29
267085	Terostat 9140 Black	310 ml	30
268286	Terodem SP 200	100 x 50 cm	47
272232	Terostat 9320 Ocre	300 ml	29
274943	Terostat 9120 Grey	310 ml	29
303134	Loctite® 8101	400 ml	21
303145	Loctite® 7039	400 ml	19
333170	Teroson Zinc Spray	400 ml	42
377366	Teroson nozzle plier		51
425854	Terostat 8517H	100 ml	26
435566	Loctite® 518	300 ml	14
444651	Terokal 2444	340g	33

IDH No.	Product name	Pack size	Page
450434	Terostat 8599 HMLC	Set	25
450438	Terostat 8597 HMLC	Set	24
450441	Terostat 8599 HMLC	310 ml	25
450503	Terostat 8597 HMLC	310 ml	24
450532	Terostat 8596	Set	24
450533	Terostat 8596	310 ml	24
452386	Terostat 9220	80 ml	33
458647	Loctite® 8018	400 ml	20
480166	O-Ring Kit		16
525118	Loctite® 8060	20 g	21
525392	Loctite® 8065	20 g	21
528242	Teroson Hardener	40 g	39
537186	Terostat 8597 HMLC	200 ml	24
540491	Loctite® 248	19 g	11
540498	Loctite® 248	9 g	11
540900	Loctite® 268	9 g	11
540907	Loctite® 268	19 g	11
540920	Loctite® 561	19 g	12
680347	Terostat 8597 HMLC	400 ml	24
680348	Terostat 8597 HMLC	570 ml	24
704920	Loctite® 548	18 g	14
705002	Loctite® 668	9 g	13
705053	Loctite® 668	19 g	13
705070	Loctite® 534	9 g	17
705075	Loctite® 534	19 g	17
705097	Loctite® 548	9 g	14
726808	Terolan black	310 ml	28
731335	Loctite® Hygien Spray	150 ml	48
744474	Terostat 9100 Grey	310 ml	29
744475	Terostat 9100 White	310 ml	29
744662	Terostat 9200 Black	310 ml	29
745083	Terosept	Machine	48
745083	Terosept machine		51
752596	Terosept cleaner	200 ml	48
760225	Loctite® 8040	400 ml	20
767196	Terotex Record 2000 HS White	1 l	43
767197	Terotex Record 2000 HS Black	1 l	43
767198	Terotex Record 2000 HS Grey	1 l	43
767199	Terotex Super 3000 Black	1 l	43
770231	Teroson Rust converter	125 ml	42
776176	Terocore 1401	175 ml	35
776515	Terokal 5045	250 ml	34
780805	Static mixer – big		50
782601	Terotex Super 3000 White	1 l	43

IDH No.	Product name	Pack size	Page
784176	Terotex HV400	1 l	45
787528	Teroson Anti chip Spray Light	500 ml	43
787643	Teroson Anti chip Spray Black	500 ml	43
793958	Terotex HV350	1 l	45
794224	Teroson Cavity Spray	500 ml	45
794668	Terostat 8630 HMLC	310 ml	25
794862	Terotex Wax	1 l	44
796993	Preheating box 6 cartridges		51
799316	Terolan Light	310 ml	28
799671	Terolan 53 Special	1.2 kg	28
801161	Terodicht Elastik	310 ml	27
803863	Teroson UBC Spray	500 ml	43
840759	Teroson Brake & Clutch cleaner	10 l	18
840771	Teroson Brake & Clutch cleaner	50 l	18
841026	Teroson M.O. Universal	4.5 l	20
860240	Teroson Adhesive Spray	400 ml	33
867677	Terostat 8630 HMLC	Set	25
871912	Terostat 9000PL	310 ml	25
881835	Teromix 6700	250 ml	33
881837	Terokal 9225	250 ml	36
882088	Terokal 9225SF	2x25 ml	36
882485	Plastic Filler	920 g	37
908383	Plastic repair mesh		50
930304	Teroson Powerline II		50
939813	Terofoam	200 ml	46
946635	Teroson Glass Fibre Filler	1.3 g	38
946637	Teroson Allround Filler	1.75 g	38
946638	Teroson Fine Filler	1.75 g	39
946639	Teroson Alu/Galva Filler	1.75 g	39
1047326	Electraflow battery gun		50
1114779	Terostat 8517H	25 ml	26
1123347	Loctite® 5940	40 ml	31
1123349	Loctite® 5926	40 ml	15
1123422	Loctite® 595	40 ml	31
1124086	Loctite® 5920	40 ml	15
1124088	Loctite® 5699	40 ml	15
1126633	Loctite® 5910	80 ml	15
1126635	Loctite® 5940	100 ml	31
1126639	Loctite® 5926	100 ml	15
1126642	Loctite® 595	100 ml	31
1126645	Loctite® 5920	80 ml	15
1126648	Loctite® 5699	80 ml	15
1133305	Loctite® 5910	40 ml	15

Notices





Henkel – The Solution Provider

Truly Integrated, Truly International

Henkel is a world-wide operating, market-driven specialist in brands and technologies with affiliates in over 75 countries, providing technology competence from one single source. People in 125 countries around the world trust in brands and technologies from Henkel. The portfolio includes adhesives and sealants, products for direct glazing, corrosion protection, underbody and anti-chip coating, sound deadening solutions, body care and many other speciality chemicals.

Strong brands with proven and trusted names, such as Loctite® and Teroson, are incorporated into this common platform and have long been the key to Henkel's success.

Around the world, Henkel has an extensive commitment to motor sports where reliable performance must be delivered in the most extreme conditions. As Official Partner and Supplier to the Dakar Rally for several years, Henkel has supported the competing teams with products that reflect the company's innovation and technological excellence. Over the years, close contacts have developed into a strong relation of mutual trust and understanding. This has been built on the competent service and the high-quality adhesives and sealants offered for fast and efficient repairs which have helped many drivers to make it to the finish line.

Meets all Needs

Henkel offers much more than outstanding products, it provides solutions to many of the biggest challenges – and to the problems that you face in ensuring reliability, safety and durability.

**We're here to ensure that you receive all the help and support you need.
Just contact us!**

For more information on the complete range of Loctite® and Teroson products from the Henkel portfolio, please visit www.loctite.com, where you can download catalogues, data sheets, technical papers and application examples.



Henkel AG & Co. KGaA
Henkelstraße 67
40589 Düsseldorf
Germany
Tel.: +49 211 797 2460
Fax: +49 211 798 12460
Technical helpline:
+49 6221 704 295
www.loctite.com
www.teruson.com

The data contained herein are intended as reference only. Please contact your local Henkel Technical Support Group for assistance and recommendation on specifications for these products.

© designates a trademark of Henkel AG & Co. KGaA or its affiliates, registered in Germany and elsewhere © Henkel AG & Co. KGaA, 2008